

RMDS Version 2.2 Scheduled for Release on August 31, 1998

On August 31, 1998, an upgraded version of RMDS software will be installed in production. Most of the changes included in the upgrade will not be noticeable to users. However, three screens will look different. They are the SEND REPORT PAGES screen, the BATCH PRINT OPTIONS screen, and the ADDITIONAL PRINT PARAMETERS SCREEN. The updated screens, as they now appear in production, are illustrated below.

The SEND REPORT PAGES screen is the only screen necessary for local print jobs (option 1). When using option 1, press <ENTER> after specifying the NETWORK PRINTER ID and the PAGE RANGES. The MAIN MENU will appear displaying a message that the report has been sent to the destination printer. The old version included descriptions for options 2 and 3. The screen currently used in production (shown below) has no descriptions for options 2 and 3. When using option 2, specify PAGE RANGES and press <ENTER> to see the BATCH PRINT OPTIONS screen. To use option 3, refer to Chapter 11 of the R*STARS Data Entry Guide or contact your agency report coordinator for instructions.

SEND REPORT PAGES

REPORT NAME . . : RSTARS CONTROL REPORTS

REPORT TIMESTAMP: 1996-03-22-05.28.29

SELECT OPTION . . 1. NETWORK PRINT

2. BATCH PRINT

3. BATCH TRANSFER

NETWORK PRINTER ID . . REQUIRED FOR OPTION 1 ONLY

SPECIFY PAGE RANGES:

FROM TO FROM TO FROM TO FROM TO

_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

OPTIONAL HEADER PAGE INFORMATION

LINE 1 . .

LINE 2 . .

LINE 3 . .

LINE 4 . .

COMMAND ==>

F1=HELP F3=EXIT

The BATCH PRINT OPTIONS screen appears when option 2 is selected on the SEND REPORT PAGES screen. The new version of the screen includes more optional data fields (shown in **BOLD** below) than the old version. Do not use the bolded fields.

The required parameters are JOB NAME (User ID followed by a "P") and ACCOUNT (11111). The SYSOUT CLASS will default to "T." Specify a printer ID in the DESTINATION field and press <ENTER>. The ADDITIONAL PRINT PARAMETERS screen will appear. Data should not be entered in the WRITER NAME or the FORMS fields. The fields which must be entered have not changed.

BATCH PRINT OPTIONS

REPORT NAME . . : RSTARS CONTROL REPORTS

REPORT TIMESTAMP: 1996-03-22-05.28.29

REQUIRED PARAMETERS:

JOB NAME #07JHDP

ACCOUNT 11111

OPTIONAL PARAMETERS:

SYSOUT CLASS . . T WRITER NAME . .

DESTINATION . . AA05 FORMS

NAME

TITLE

DEPARTMENT . . .

ROOM

BUILDING

ADDRESS 1 . . .

ADDRESS 2 . . .

ADDRESS 3 . . .

ADDRESS 4 . . .

COMMAND ==>

F1=HELP F3=EXIT F12=CANCEL

The ADDITIONAL PRINT PARAMETERS screen appears after the BATCH PRINT OPTIONS screen is entered. The new version of the screen includes additional fields (shown in **BOLD** below). Do not use the bolded fields.

The only required field is the COPIES field. Enter the number of copies that are needed and press <ENTER>. The fields which must be entered have not changed.

ADDITIONAL PRINT PARAMETERS

REPORT NAME . . : RSTARS CONTROL REPORTS

REPORT TIMESTAMP: 1996-03-22-05.28.29

COPIES . . . **CHARACTER SET 1 . . FCB . .**

PAGEDEF . . CHARACTER SET 2 . .

FORMDEF . . CHARACTER SET 3 . .

PRMODE . . . CHARACTER SET 4 . .

CONTROL OPTION 1 1. NONE

2. DEFAULT

3. USE MEMBER FROM PRINT CONTROL LIBRARY

4. USER-SUPPLIED PRINT CONTROL

5. MERGE MEMBER AND USER-SUPPLIED PRINT CONTROL

CONTROL MEMBER NAME . . REQUIRED FOR OPTION 3; USABLE WITH 5

USER-SUPPLIED CONTROL INFORMATION REQUIRED FOR OPTIONS 4, 5

LINE 1 . .

LINE 2 . .

COMMAND ==>

F1=HELP F3=EXIT F12=CANCEL